

FUNGISTAD**Oral premix powder / Polvo premezcla oral****Composition:**

Propionic acid 200 g; Excipient to 1 kg.

Indications and target species:

All species.

Prevention and control of the appearance of fungi and yeasts in feedstuff and meals.

Dosage, administration route and use instructions:

Oral route, mixed with feedstuff.

-0,5 kg of FUNGISTAD / ton when the humidity is below 15%.

-1,0 kg of FUNGISTAD / ton when the humidity grade is between 15-17% or when the product is kept under high temperatures.

-1,5 kg of FUNGISTAD / ton when the humidity is above 17% or there is the possibility of appearance of mould.

Withdrawal period:

Not required.

Presentation:

Sacks of 25 kg.

Composición:

Ácido propiónico 200 g; Excipiente c.s.p. 1 kg.

Indicaciones y especies de destino:

Todas las especies.

Prevención y control de la aparición de hongos y levaduras en los piensos y harinas.

Dosis, modo y vía de administración:

Vía oral, mezclado con el pienso.

-0,5 kg de FUNGISTAD / Tm en humedades inferiores al 15%.

-1,0 kg de FUNGISTAD / Tm cuando el grado de humedad oscila entre 15-17% o cuando el producto está expuesto a elevadas temperaturas ambientales.

-1,5 kg de FUNGISTAD / Tm cuando la humedad es superior al 17% o existe la posibilidad de un ligero enmohecimiento.

Período de supresión:

No precisa.

Presentación:

Sacos de 25 kg.