

**VERMIFOR PREMIX**

Oral medicated premix powder / Polvo premezcla medicamentosa oral

**Composition:**

Levamisole (hydrochloride) 75 g; Excipient to 1 kg.

**Indications and target species:**

Swine.

Gastrointestinal and pulmonary nematodosis produced by the following parasites:

*Oesophagostomum spp.*, *Ascaris suum*, *Strongyloides ransomi*, *Metastrongylus spp.***Dosage, administration route and use instructions:**

Oral route, mixed with feedstuff. Mix well in order to assure a homogenous distribution.

Rebreeding and feeding pigs from 15 kg to 50 kg b.w.: 2 kg of VERMIFOR PREMIX / ton of feedstuff.

Calculate the weight of the animals to be treated in order to administer them with enough medicated food so that the quantity of levamisole intaken is of 7,5 mg / kg b.w..

**Withdrawal period:***Meat*: 7 days.**Presentation:**

Sacks of 25 kg.



SUPER'S DIANA

**Composición:**

Levamisol (clorhidrato) 75 g; Excipiente c.s.p. 1 kg.

**Indicaciones y especies de destino:**

Porcino.

Nematodosis gastrointestinal o pulmonar producidas por los parásitos citados a continuación: *Oesophagostomun spp.*, *Ascaris suum*, *Strongyloides ransomi*, *Metastrongylus spp.***Dosis, modo y vía de administración:**

Vía oral, mezclado con el pienso. Mezclar bien para asegurar una distribución homogénea.

Cerdos de recría y cebo desde 15 hasta 50 kg p.v.: 2 kg de VERMIFOR PREMIX / Tm de pienso.

Calcular el peso de los animales a tratar de forma que se les administre el alimento medicado suficiente para que la cantidad de levamisol ingerido sea de 7,5 mg / kg p.v.

**Período de supresión:***Carne*: 7 días.**Presentación:**

Sacos de 25 kg.



SUPER'S DIANA