



# LINCOSAN

## MEDICATED PREMIX POWDER

### COMPOSITION

Lincomycin (HCl)..... 44 g  
 Excipient to..... 1 kg

### PROPERTIES OF LINCOMYCIN

- ❖ BROAD SPECTRUM OF ACTION.
- ❖ AT HIGH DOSES IT ACTS AS BACTERICIDE.
- ❖ IT IS ABSORBED VERY QUICKLY ACHIEVING PEAK SERUM LEVELS AT 2-4 HOURS FROM ADMINISTRATION.
- ❖ MINIMUM PROTEIN BINDING ⇒ GREATER ANTIBACTERIAL ACTIVITY.
- ❖ IT PRESENTS A BLOOD-BILE-INTESTINE CYCLE ⇒ LONGER TIME OF ACTION.
- ❖ IT HAS EXCELLENT TISSUE DIFFUSION ⇒ GREAT CLINICAL EFFICACY.
- ❖ IT DIFFUSES WELL THROUGH INFLAMED MENINGES ⇒ IT CAN CROSS THE ENCEPHALIC BARRIER WHEN IT IS AFFECTED BY INFLAMMATORY PROCESSES.

### DOSAGE

- ◆ **DYSENTERY:** Treatment and control: 2.5 kg/Ton feedstuff, for 3 weeks or until the symptoms disappear, followed by 1 kg/Ton feedstuff for 4 weeks. Control: 1 kg/Ton feedstuff before appearing the symptoms or after the treatment.
- ◆ **ENZOOTIC PNEUMONIA:** Treatment: 5 kg/Ton feedstuff, for 3 weeks or until the symptoms disappear.



### WITHDRAWAL PERIOD

MEAT: 6 days

### PRESENTATION

Sacks of 25 kg

### SPECTRUM OF ACTION

- *Streptococcus spp.* ( $\beta$ -haemolytic strains)
- *Streptococcus viridans*
- *Clostridium spp.*
- *Serpulina hyodysenteriae*
- *Staphylococcus aureus*
- *Erysipelothrix r.*
- *Leptospira spp.*
- *Lawsonia intracellularis*
- *Brachispira spp.*
- *Mycoplasmas*

### INFECTIOUS PROCESS

### TARGET SPECIES

### TREATMENT WITH LINCOSAN

### INDICATIONS



- ❖ DYSENTERY
- ❖ ENZOOTIC PNEUMONIA
- ❖ In general, DISEASES PRODUCED BY SENSITIVE GERMS



**SUPER'S DIANA, S.L.**

Ctra. C-17, km 17

08150 Parets del Vallès (BARCELONA) SPAIN

Tel. +34 93 8437536 / Fax. +34 93 8436545

E-mail: [export@supersdiana.com](mailto:export@supersdiana.com)

[www.supersdiana.com](http://www.supersdiana.com)